



Safety Data Sheet

AlbaChem® ECO-MIST ADHESIVE

1. Product Identification

Product Information:

Product Identifier:

Recommended Use:

Manufacturer

Phone Number

Emergency Telephone:

Restrictions on Use:

None

1782

ECO-MIST ADHESIVE

Adhesive

36-41 36TH STCUET

LONG ISLAND CITY, NY 11106

718-392-6272

Spill, leak, fire, exposure or accident – Call CHEMTREC – Day or Night 1-800-424-9300 or 1-703-527-3887 (USA & Canada) 01-800-681-9531 (México)

October 10/21/25

2. Hazard(s) identification

Classification

Aerosol, category 1

Aspiration Hazard, category 1

Eye Irritation, category 2A

STOT, single exposure, category 3, NE

Label elements

HAZARD PICTOGRAMS



SIGNAL WORD

Danger

GHS HAZARD STATEMENTS

H222

Extremely flammable aerosol.

H229

Pressurized container: may burst if heated.

H304

May be fatal if swallowed and enters airways.

H319

Causes serious eye irritation.

H336

May cause drowsiness or dizziness.

GHS PRECAUTIONARY STATEMENTS

Prevention

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211

Do not spray on an open flame or other ignition source.

P251

Do not pierce or burn, even after use.

P261

Avoid breathing dust, fumes, gas, mist, vapours, or spray.

P264

Wash thoroughly after handling.

P271

Use only outdoors or in a well-ventilated area.

P280

Wear eye protection and face protection

Response

P301+P310+P331 I

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

P304+P340+P312

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313

If eye irritation persists: Get medical advice/attention.

P403+P233

Store in a well-ventilated place. Keep container tightly closed.

P405

Store locked up.

P410+P412

Protect from sunlight. Do not expose to temperatures exceeding 50°C / 122°F.

Disposal

P501

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other Information

None



Safety Data Sheet

AlbaChem® ECO-MIST ADHESIVE

3. Composition/Information on Ingredients

Chemical Identity	CAS Number	Content in Percent (%)*
Acetone	67-64-1	110-30
Naphtha, (Petroleum), Hydrotreated	64742-49-0 1	10-30
Propane	74-98-6	10-30
Butane	106-97-8	10-30
n-Heptane	142-82-	5-10
Methylcyclohexane	108-87-2	0.5-1.5

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume

Composition Comments: Other components are not hazardous or are below required disclosure limits.
The exact concentration has been withheld as a trade secret.

4. First-aid Measures

SKIN CONTACT:

Remove contaminated clothing and wash the skin thoroughly with soap and water after work.

EYE CONTACT:

Rinse immediately with plenty of water. Flush eyes with plenty of water for 15 minutes, while holding the eyelids apart. Check victim for contact lenses and remove if present. Get medical attention if irritation persists.

INHALATION:

Move to fresh air. Remove victim to fresh air. If breathing is difficult, oxygen should be administered by qualified personnel. Get medical attention if you feel unwell.

INGESTION:

Keep the victim calm and warm. Do NOT induce vomiting. If conscious, rinse mouth with water. Never give anything by mouth to an unconscious or convulsing person. If vomiting occurs spontaneously, keep head below hips to prevent aspiration into the lungs. Get immediate medical attention.

IMPORTANT SYMPTOMS:

Inhalation may cause drowsiness or dizziness. Aspiration hazard: Harmful or fatal if swallowed. May cause severe eye irritation.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

Get medical attention if symptoms occur. Immediate medical attention is required for ingestion

5. Fire-fighting Measures

EXTINGUISHING MEDIA:

Use fire-extinguishing media appropriate for surrounding materials.

UNSUITABLE EXTINGUISHING MEDIA:

Do not use water jet as an extinguisher, as this will spread the fire.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Extremely flammable aerosol. Contents under pressure. Keep away from ignition sources and open flames. Prolonged exposure to temperatures above 50°C / 122°F may cause cans to burst. Vapors may travel considerable distance to a source of ignition and flash back. Combustion may produce carbon dioxide and carbon monoxide.

SPECIAL FIREFIGHTING PROCEDURES:

No data available

6. Accidental Release Measures

PERSONAL PRECAUTIONS :

Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANUP:

Leaking cans should be placed in a plastic bag or open pail away from ignition sources until the pressure has dissipated. Collect liquid spill with an inert absorbent material and place into a suitable container for disposal.



Safety Data Sheet

AlbaChem® ECO-MIST ADHESIVE

ENVIRONMENTAL PRECAUTIONS:

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages.

7. Handling and Storage

HANDLING:

Keep away from sources of ignition - No smoking. Keep away from open flames, hot surfaces and sources of ignition. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

SAFE HANDLING ADVICE:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

STORAGE:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

NFPA 30B:

Aerosol Level 3

8. Exposure Controls/Personal Protection

Ingredients with Occupational Exposure Limits

Chemical Name	TLV-TWA TLV-	TLV- STEL	PEL-TWA	PEL-CEILING
Acetone	A 250 ppm	500 ppm	1000.	N.E.
Naphtha, (Petroleum), Hydrotreated	100 ppm	N.E.	100 ppm	N.E.
Propane	N.E.	N.E.	1000 ppm	N.E.
Butane	N.E.	1000	N.E.	N.E.
n-Heptane	200 ppm	400 ppm	500 ppm	N.E.
Methylcyclohexane	100.	N.E.	500 ppm	N.E.

Further Advice: MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation

Sk = Skin Sensitizer N.E. = Not Established

ENGINEERING CONTROLS:

No data available

Personal Protection

EYE/FACE PROTECTION:

Wear goggles/face shield. Chemical safety goggles should be worn where contact is possible.

SKIN PROTECTION:

No data available

RESPIRATORY PROTECTION:

Seek advice from local supervisor. In case of inadequate ventilation use suitable respirator.

HYGIENIC PRACTICES:

When using do not smoke. Observe good industrial hygiene practices



Safety Data Sheet

AlbaChem® ECO-MIST ADHESIVE

9. Physical and Chemical Properties

Appearance:

Physical State:

Liquid

Form:

Spray Aerosol

Color:

No data available

Odor:

No data available

Odor Threshold:

No data available

pH:

No data available

Freeze Point, °C:

No data available

Boiling Point, °C:

57

Flash Point, °C:

Not applicable to aerosols

Flammability (solid, gas):

Flammable Aerosol

Evaporation Rate:

No data available

Combustibility:

Supports Combustion

Explosive Limits, %:

1.0 - 12.8

Vapor Pressure @20°C, PSI:

46-60

Relative Vapor Density:

Heavier than Air

Relative Density:

No data available

Solubility in Water:

No data available

Partition Coefficient, n-octanol/water:

No data available

Auto-Ignition Temperature, °C:

No data available

Decomposition temperature, °C:

No data available

Kinematic Viscosity:

< 14 mm²/s or cSt

Particle Characteristics:

Size Range, microns (µm):

No data available

Percent under 10 microns:

No data available

10. Stability and Reactivity

REACTIVITY:

Not reactive under normal conditions of use.

STABILITY:

Material is stable under normal conditions.

POSSIBILITY OF HAZARDOUS REACTIONS:

No data available

CONDITIONS TO AVOID:

Keep away from heat, sparks, flames, and other sources of ignition. Do not puncture or incinerate containers. Dropping containers may cause bursting.

INCOMPATIBILITY:

No data available

HAZARDOUS DECOMPOSITION PRODUCTS:

Combustion may produce carbon dioxide and carbon monoxide.

11. Toxicological Information

Information on Likely Routes of Exposure

SKIN CONTACT EFFECTS:

May cause irritation on prolonged or repeated contact.

EYE CONTACT EFFECTS:

Contact may cause severe irritation with redness, tearing and pain.

INHALATION EFFECTS:

May cause central nervous system effects with drowsiness and dizziness.



Safety Data Sheet

AlbaChem® ECO-MIST ADHESIVE

INGESTION EFFECTS:

Aspiration into the lungs during ingestion or vomiting may cause serious lung damage which may be fatal.

The following Chemicals are listed on IARC Monographs on the Evaluation of Carcinogenic Risk to Humans:

No known IARC Chemicals

The following Chemicals are listed on the U.S. National Toxicology Program (NTP) Report on Carcinogens:

No known NTP Chemicals

The following Chemicals are listed on U.S. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No known OSHA Chemicals

The following values are calculated based on chapter 3.1 of the GHS document. The product itself has not been tested.

ATE ORAL 8,226 mg/kg

ATE DERMAL 6,142 mg/kg

ATE INHALATION Not classified for acute toxicity based on available data.

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Vapor LC50
67-64-1	Acetone	5,800 mg/kg	7,426 mg/kg	50.1 mg/l
64742-49-0	Naphtha, (Petroleum), Hydrotreated Light	5,000 mg/kg	3,750 mg/kg	100 mg/l
74-98-6	Propane	5,000 mg/kg	5,000 mg/kg	100 mg/l
106-97-8	Butane	5000 mg/kg L Rat	5000 mg/kg	658 mg/L Rat
142-82-5	n-Heptane	5,000 mg/kg	5,000 mg/kg	29.29 mg/l
108-87-2	Methylcyclohexane	>3200 mg/	2,000 mg/kg	100 mg/l

N.I. = No Information

Skin Corrosion & Irritation:

Product: No data available

Serious Eye Damage & Irritation:

Product: No data available

Components:

Acetone 67-64-1 Causes serious eye irritation.

Respiratory or Skin Sensitization:

Product: No data available

STOT-Single Exposure:

Product: No data available

Components:

Naphtha, (Petroleum), Hydrotreated

Light 64742-49-0 May cause drowsiness or dizziness.

n-Heptane 142-82-5 May cause drowsiness or dizziness.

Methylcyclohexane 108-87-2 May cause drowsiness or dizziness.

Acetone 67-64-1 May cause drowsiness or dizziness.

STOT-Repeated Exposure:

Product: No data available

Aspiration Hazard:

Product: No data available

Components:

Naphtha, (Petroleum), Hydrotreated

Light 64742-49-0 May be fatal if swallowed and enters airways.

n-Heptane 142-82-5 May be fatal if swallowed and enters airways.

Methylcyclohexane 108-87-2 May be fatal if swallowed and enters airways.

Carcinogenicity:

Product: No data available

Reproductive Toxicity:

Product: No data available

Germ Cell Mutagenicity:

Product: No data available



Safety Data Sheet

AlbaChem® ECO-MIST ADHESIVE

12. Ecological Information

ECOLOGICAL INFORMATION:

No data available

PERSISTENCE:

No data available

BIOACCUMULATE:

No data available

MOBILITY IN SOIL:

No data available

OTHER ECOLOGICAL:

No data available

13. Disposal Information

DISPOSAL INFORMATION:

Consult with your local, regional and federal agencies for information on proper disposal.

CONTAMINATED PACKAGING :

Consult with your local, regional and federal agencies for information on proper disposal

14. Transport Information

SPECIAL TRANSPORT PRECAUTIONS: No data available

DOT

UN Number:	UN1950
Proper Shipping Name:	AEROSOLS, FLAMMABLE
Technical Name:	N/A
Hazard Class(es)	
Class:	2.1
Subsidiary Risk	N/A
Packing Group:	N/A

IATA

UN Number:	UN1950
Proper Shipping Name:	AEROSOLS, FLAMMABLE
Technical Name:	N/A
Hazard Class(es)	
Class:	2.1
Subsidiary Risk:	N/A
Packing Group:	N/A

IMDG

UN Number:	UN1950
Proper Shipping Name:	AEROSOLS, FLAMMABLE
Technical Name:	N/A
Hazard Class(es)	
Class:	2.1
Subsidiary Risk:	N/A
Packing Group:	N/A

The classification shown in this section may be eligible for use of an exception, such as 'Limited Quantity', per the dangerous goods regulations. The shipper of this product should consult the applicable mode's regulation for the UN number displayed above to determine if any exceptions are available and may be utilized, at the shipper's discretion.



Safety Data Sheet

AlbaChem® ECO-MIST ADHESIVE

15. Regulatory Information

SARA SECTION 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

No Sara 313 components exist in this product.

CHEMICAL INVENTORY STATUS:

TSCA On or in compliance with the inventory
DSL All ingredients in this product are listed on the DSL or are exempt.

CALIFORNIA PROPOSITION 65 CARCINOGENS AND REPRODUCTIVE TOXINS:



WARNING

This product can expose you to chemicals including Ethyl Benzene, Benzene, which are known to the State of California to cause cancer, and Toluene, n-Hexane, Benzene which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Chemical Name	CAS-No.
Toluene	108-88-3
n-Hexane	110-54-3
Ethyl Benzene	100-41-4
Benzene	71-43-2

16. Other Information

Revision Date: 10/21/2025
Datasheet produced by: Regulatory Department

Legend

N/A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information
TLV - Threshold Limit Values (TLVs®), as established by the American Conference of Governmental Industrial Hygienists (ACGIH®)
PEL - Permissible Exposure Limit, as established by the U.S. Occupational Safety and Health Administration (OSHA), as amended
TSCA - U.S. Toxic Substance Control Act
DSL - Canada Environmental Protection Act: Domestic Substance List

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where the product use and frequency of exposure exceeds that established for the labeled consumer use.

Further Information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the manufacturer's and seller's control. Purchaser and user are responsible for determining the suitability of the product for a particular purpose, adopting precautions for the protection of property and persons, and compliance with all Federal, State, Provincial, and Local laws.